1.	The	sudden death of heavily muscled hogs is referred to as:		
	Α	Porcine Stress Syndrome		
	В	Mycoplasmal Pneumonia		
	С	Porcine Circivirus		
	D	Porcine Cardiac Complex		
2.	A s	wine nutritional health problem caused by lack of iron in the diet.		
	Α	Rickets		
	В	Parakeratosis		
	С	Anemia		
	D	Hypoglycemia		
3.	Whi spe	ich vitamin do animals tend to produce enough of so that it does not need to be included as a cific nutrient in their rations?		
	A	Vitamin D		
	В	Vitamin C		
	С	Vitamin A		
	D	Vitamin E		
4.	The	removal of the testicles from a male animal is:		
	Α	dehorning		
	В	castration		
	С	vaccination		
	D	insemination		
5.	Which species of livestock reaches puberty based on the season and not age?			
	Α	Sheep		
	В	Goats		
	С	Cattle		
	D	Swine		
6.		process of placing sperm in the female reproductive tract by some other means than natural mating nown as:		
	Α	pregnancy testing		
	В	embryo transfer		
	С	estrus synchronization		
	D	artificial insemination		
7.	The	first breed of beef cattle imported to the United States in the late 1700's was the:		
	Α	Brahman		
	В	Hereford		
	С	Angus		
	D	Shorthorn		
8.	offs	is a measure of the degree of difference between the offspring of a specific bull and the spring of the average bull of the breed in the trait being measured.		
	Α	EPD		
	В	OSB		
	С	MPV		
	D	SPF		

9.	The	expected yield of a hog with a USDA quality grade of No. 1 is:
	Α	52 to 54.4%
	В	57.4 to 60.3%
	С	60.4% or greater
	D	54.4 to 57.3%
10.	She	eep are a major enterprise in the area of the United States.
	Α	southern
	В	western
	С	northern
	D	eastern
11.	Wha	at is an infertile female calf born as a twin to a fertile male calf called?
	Α	Freemartin
	В	Sex-limited
	С	Markhors
	D	Clone
12.	Fat	present in muscle tissue is known as:
	Α	condition
	В	tallow
	С	marbling
	D	finish
13.	Heif	fers most commonly reach puberty at the average age of:
	Α	18 months
	В	12 months
	С	7 months
	D	4 months
14.	An a	animal that has extremely straight hind legs is best described as being:
	Α	sound
	В	cow-hocked
	С	post-legged
	D	sickle-hocked
15.	Whi	ich fat-soluble vitamin is associated with bone development and calcium absorption?
	Α	Vitamin A
	В	Vitamin E
	С	Vitamin K
	D	Vitamin D
16.		ich amino acid listed is first limiting in swine rations?
	Α	lysine
	В	glycine
	С	cystine
	D	proline

17.	Wh	at do Hampshires, Polands, and Berkshires have in common?			
	Α	origin			
	В	popularity			
	С	ear shape			
	D	color			
18.	How well an animal likes or accepts a feed is referred to as the:				
	Α	digestibility			
	В	composition			
	С	palatability			
	D	balance			
19.	Ant	hrax is a disease caused by bacteria that may remain in the soil for years or longer.			
	Α	10			
	В	40			
	С	20			
	D	30			
20.	Wh	ich polled breed of cattle originated from horned cattle due to a genetic mutation?			
	Α	Red Poll			
	В	Polled Hereford			
	С	Red Angus			
	D	Galloway			
21.	Dis	Diseases caused by a virus or bacteria are classed as:			
	Α	physiological			
	В	morphological			
	С	nutritional			
	D	pathogenic			
22.	The	e rate or percentage of animals becoming pregnant.			
	Α	parturition			
	В	breeding soundness			
	С	conception rate			
	D	hybrid vigor			
23.	The	biggest problem of raising sheep is the loss caused by:			
	Α	internal parasites			
	В	Blue tongue			
	С	Overeating disease			
	D	external parasites			
24.		isual evaluation of the amount of muscle on a hog is best seen by looking at the vie	w		
		he hog.			
	A	top			
	В	rear			
	С	front			
	D	side			

25.	Wh	ich of the following vitamins is in the category of water-soluble?		
	Α	Vitamin D		
	В	Vitamin B		
	С	Vitamin E		
	D	Vitamin A		
26.	According to USDA, the greatest expense in the production of livestock is:			
	Α	contract and hired labor		
	В	livestock purchased		
	С	feed purchased		
	D	fuel and electricity		
27.	One common characteristic between Yorkshire, Landrace, and Chester Whites is:			
	Α	terminal qualities		
	В	color		
	С	maternal qualities		
	D	ear shape		
28.	The	class of sheep that are evaluated more on the quality of their fleece than other sheep are known as		
	Α	Long-wool breeds		
	В	Medium-wool breeds		
	С	Fine-wool breeds		
	D	Mutton breeds		
29.	Which trait has the highest heritability estimate in cattle?			
	Α	post weaning rate of gain		
	В	number of young weaned		
	С	weaning weight		
	D	fertility		
30.	Which of the following breeds of swine is best on performance of litter size?			
	Α	Poland		
	В	Berkshire		
	С	Landrace		
	D	Duroc		
31.	Wh	ich of the following breeds of cattle is NOT primarily white to gray in color?		
	Α	White Park		
	В	Charolais		
	С	Limousin		
	D	Chianina		
32.		cterial disease that affects both sheep and goats when the animal has a wound. Symptoms include fness, rigid jaw, and inability to eat.		
	Α	Blue Tounge		
	В	Tetanus		
	С	Enterotoxemia		
	D	Vibriosis		

33.	Swi	ne dysentery is also known as:
	Α	Bloody scours
	В	White scours
	С	Clostridial diarrhea
	D	Vibrionic scours
34.	Arc	heology has found evidence that sheep have been domesticated for years.
	Α	2000
	В	1000
	С	6000
	D	250
35.	Whi	ch disease affects the turbinate bones in swine?
	Α	Leptospirosis
	В	Atropic Rhinitis
	С	Actinobacillus Pleuropneumoniae
	D	Eperythrozoonosis
36.	The	period of time which an animal is pregnant is called:
	Α	Estrus
	В	Ovulation
	С	Parturition
	D	Gestation
37.	Fee	d additives used to prevent disease and promote growth are:
	Α	anthelmintics
	В	antibiotics
	С	antioxidants
	D	hormones
38.	An a	animal's central nervous system includes the brain and:
	Α	spinal cord
	В	autonomic nerves
	С	somatic nerves
	D	effector organ
39.	The	most common sheep identification system is:
	Α	freeze branding
	В	ear notching
	С	ear tags
	D	tattooing
40.		major objection of boar meat is the odor of the meat called boar taint. One compound causing boar t is:
	A	Testosterone
	В	Progesterone
	C	Skatole
	D	Sulfamethazine
	_	

41.	Wha	at is a common disqualification in rules for registering animals in a breed association?			
	Α	weight			
	В	size			
	С	color markings			
	D	eyes			
42.	Cattle can generally lose from 1 to 5 percent of their weight when transported. The				
	Α	sale weight			
	В	shipping weight			
	С	shrinkage			
	D	fillback			
43.	Arc	haeological evidence from the Middle East indicates domestication of the pig occurred as early as years ago.			
	Α	1000			
	В	500			
	С	5000			
	D	9000			
44.	Α	animal is one that is of a particular breed.			
	Α	outcrossed			
	В	purebred			
	С	crossbred			
	D	linebred			
45.	The mating of animals of different family lines within the same breed is:				
	Α	crossbreeding			
	В	inbreeding			
	С	outcrossing			
	D	linebreeding			
46.	Wh	ich part of the ruminant stomach is recognized as the true stomach?			
	Α	Abomasum			
	В	Reticulum			
	С	Rumen			
	D	Omasum			
47.	The breed of cattle that was developed on the King Ranch in Texas and consists of 3/8 Brahman and 5/8 Shorthorn is called:				
	Α	Beefmaster			
	В	Shorthorn			
	С	Brangus			
	D	Santa Gertrudis			
48.	The	The first American breed of beef cattle was the:			
	Α	Santa Gertrudis			
	В	Angus			
	С	Polled Hereford			
	D	Texas Longhorn			

Texas Livestock CDE Bank - 2017-2021

49.	Fist	ulated cattle are use primarily for studies and research.
	Α	health
	В	embryo
	С	breeding
	D	nutrition
50.	A m	nethod of animal identification that uses very low temperature to change pigment color of the skin is:
	Α	notching
	В	freeze brand
	С	hot brand
	D	tattoo
51.		teins produced by an animal's immune system in response to invasion by bacteria, viruses, or asites are:
	Α	serums
	В	antibodies
	С	vaccines
	D	toxoids
52.		narket where cattle are sold by public bidding, with the animals going to the highest bidder is known a(n):
	Α	internet market
	В	auction market
	С	electronic market
	D	contract market
53.	Bris	sket disease affects the in cattle?
	Α	heart
	В	lungs
	С	stomach
	D	brain
54.	Whi	ich feed uses fermentation in order to increase palatability?
	Α	hay
	В	silage
	С	concentrates
	D	by-products
55.	Yea	rlings are feeder calves between one and two years old weighing about pounds.
	Α	100-250
	В	550-700
	С	400-550
	D	250-400
56.	Fine	e Wool breeds of sheep include all of the following EXCEPT:
	Α	Delaine Merino
	В	Debouillet
	С	Corriedale
	D	Rambouillet

57.	Adr	ninistering an medicinal agent to livestock that requires placement directly into a vein is called:		
	Α	intravenous		
	В	subcutaneous		
	С	intrarumen		
	D	intramuscular		
58.	Subcutaneous injections are given:			
	Α	under the skin		
	В	in the muscle		
	С	orally		
	D	in the ear		
59.		out percent of total income from all livestock marketing in the United States comes from the findustry?		
	Α	38		
	В	24		
	С	52		
	D	11		
60.	Nev	vborn animals receive immunity to diseases by drinking:		
	Α	colostrum		
	В	sterile water		
	С	fibrinogen		
	D	vaccines		
61.	What breed of cattle used in the United States came from Australia?			
	Α	Salers		
	В	Blonde d'Aquitaine		
	С	Brangus		
	D	Murray Grey		
62.	Wh	ich information is NOT typically required for the registration of individual hogs?		
	Α	Ear notches		
	В	Date farrowed		
	С	Name of sire		
	D	Number of teats		
63.	The	reflex and response that an animal has at birth is:		
	Α	instinct		
	В	conditioning		
	С	intelligence		
	D	reasoning		
64.	Scr	apie is a disease of both sheep and goats that affects the:		
	Α	lungs		
	В	skin		
	С	brain		
	D	digestive tract		

65.	EPE	O stands for:		
	Α	express package delivery		
	В	expected progeny difference		
	С	extra production difference		
	D	expected product differential		
66.	Administering a medical agent to livestock that requires placement into the skin is a(n) injection.			
	Α	intradermal		
	В	intramuscular		
	С	intravenous		
	D	intramammary		
67.		reed of cattle that originated in Scotland that has a smooth hair coat, black in color, polled, and is of the most popular breeds in the United States today:		
	Α	Gelbvieh		
	В	Polled Hereford		
	С	Angus		
	D	Devon		
68.	The	average daily gain for growing cattle on full feed.		
	Α	3 lb/day		
	В	10 lb/day		
	С	5 lb/day		
	D	1 lb/day		
69.	A chronic degenerative disease that affects the central nervous system of cattle (also called "Mad Cow Disease")			
	Α	Infectious Bovine Rhinotracheitis		
	В	Keratoconjunctivitis		
	С	Bovine Respiratory Syncytial Virus		
	D	Bovine Spongiform Encephalopathy		
70.	Ext	ernal fat on a lamb carcass is measured between which two ribs?		
	Α	12 & 13		
	В	1 & 2		
	С	9 & 10		
	D	3 & 4		
71.	Wha	at is the only breed of sheep raised for fur in the United States?		
	Α	Dorset		
	В	Merino		
	С	Karakul		
	D	Cheviot		
72.	Whi	ich trait for swine has the lowest heritability estimate?		
	Α	Litter size		
	В	Percent ham		
	С	Carcass Length		
	D	Loin muscle area		

73.	The physical appearance of an animal is known as:			
	Α	phenotype		
	В	pedigree		
	С	genotype		
	D	performance		
74.	Whi	ich protein concentrate is limited to use by ruminants?		
	Α	meat scraps		
	В	molasses		
	С	soybean meal		
	D	urea		
75.	The	Pork Promotion, Research and Consumer Information Act of 1985 established an assessment of per \$100 value of pork sold in the United States		
	Α	75 cents		
	В	60 cents		
	С	40 cents		
	D	\$1.00		
76.	Whi	ich of the following breeds of cattle was originally red in color?		
	Α	Galloway		
	В	Brangus		
	С	Gelbvieh		
	D	Brown Swiss		
77.	One common characteristic between Hampshire, Yorkshire, and Berkshire swine is:			
	Α	color		
	В	erect ears		
	С	maternal qualities		
	D	terminal qualities		
78.	Est	rus in cattle usually occurs every:		
	Α	30 days		
	В	12 days		
	С	60 days		
	D	21 days		
79.	A p	ermanent change in the genotype of an offspring from that of its parents.		
	Α	mutation		
	В	mitosis		
	С	dominance		
	D	heterosis		
80.	The	most common classification of sheep is by:		
	Α	Origin		
	В	Birth numbers		
	С	Type of wool		
	D	Carcass type		

81.	Whi	ich breed of beef cattle imported from France was originally used as draft animals?
	Α	Maine-Anjou
	В	Chianina
	С	Brangus
	D	Hereford
82.		breed of swine which is white in color with erect ears and used extensively in commercial erations for the maternal characteristics is the:
	Α	Landrace
	В	Berkshire
	С	Yorkshire
	D	Chester White
83.	The	tube that carries air to an animal's lungs.
	Α	esophagus
	В	turbinate
	С	trachea
	D	epidermal
84.	Cot	swold sheep are classified as:
	Α	Fine Wool
	В	Crossbred Wool
	С	Medium Wool
	D	Long Wool
85.	The	leg and loin of a lamb are the primary wholesale meat cuts that come from the:
	Α	hindsaddle
	В	rack
	С	foresaddle
	D	chuck
86.	Whi	ich species of livestock has a diploid number of 27 (pairs of chromosomes)?
	Α	Sheep
	В	Goats
	С	Cattle
	D	Swine
87.	Fats	s and oils provide times more energy than do carbohydrates,
	Α	10
	В	5.5
	С	2.25
	D	100
88.	Whi	ich breed of swine does not have a predominant red color?
	Α	Duroc
	В	Poland China
	С	Tamworth
	D	Hereford

89.	Which breed of cattle is most popular in Europe?			
	Α	Limousin		
	В	Shorthorn		
	С	Simmental		
	D	Maine-Anjou		
90.	The	growth and development of animals prior to birth.		
	Α	embryo		
	В	gestation		
	С	prenatal		
	D	placental		
91.	Whi	ch Medium Wool breed was developed in the United States?		
	Α	Montadale		
	В	Southdown		
	С	Hampshire		
	D	Dorset		
92.	The	age at which an animal reaches sexual maturity is:		
	Α	adolescence		
	В	parturition		
	С	heterosis		
	D	puberty		
93.	The most serious health problem of sheep and goats is:			
	Α	Internal parasites		
	В	Bacterial diseases		
	С	External parasites		
	D	Nutritional deficiencies		
94.	Whi	ch breed of swine developed in the United States originated in the state of New York / New Jersey?		
	Α	Hampshire		
	В	Landrace		
	С	Pietrain		
	D	Duroc		
95.		ch exotic breed of cattle originated from Italy?		
	Α	Limousin		
	В	Devon		
	С	Simmental		
	D	Chianina		
96.	The	male bovine of any age that has not been castrated.		
		• •		
	Α	Boar		
	A B	Boar Bull		
	Α	Boar		

97.	Whi	ich of the following minerals is a trace mineral?			
	Α	potassium			
	В	calcium			
	С	sodium			
	D	selenium			
98.	Whi	ich state produces the most beef cattle?			
	Α	Texas			
	В	California			
	С	Kentucky			
	D	Nebraska			
99.		attle producer that produces breeding stock including bulls and females for cow-calf operations is nmonly called a:			
	Α	seedstock/purebred breeder			
	В	feedyard manager			
	С	stocker operator			
	D	commercial cattleman			
100.	ln 1	In 1985, a one dollar per head checkoff for every head of beef sold in the United			
	Α	Beef Promotion and Research Act			
	В	Livestock Marketing Tax			
	С	Beef Quality Assurance Act			
	D	Packers and Stockyard Act			
101.	Solid floors in hog houses are usually made of				
	Α	wood			
	В	concrete			
	С	earthen			
	D	pea gravel			
102.		ny of the odor problems from confinement operations are related to the release of from nure.			
	Α	sulfur			
	В	methane			
	С	ammonia			
	D	carbon dioxide			
103.	Nut	rients, which an animal can synthesize for growth and maintenance, are in a category called:			
	Α	non-essential nutrients			
	В	minerals			
	С	essential nutrients			
	D	protein			
104.	The normal body temperature of cattle is:				
	Α	104.6 oF			
	В	100.1 oF			
	С	101.5 oF			
	D	98.6 oF			

105.	The	swine trait having the highest heritability estimate is:
	Α	backfat thickness
	В	carcass length
	С	birthweight
	D	growth rate
106.	Dise	ase caused by an organism that mainly affects the lungs.
	Α	leptospirosis
	В	brucellosis
	С	erysipelas
	D	tuberculosis
107.		is the practice of feeding a ration for ten days to two weeks before breeding.
	Α	Culling
	В	Waiting
	С	Rationing
	D	Flushing
108.		I that is provided to young animals as an extra ration and is fed in an area that is inaccessible to the ners is called a:
	Α	creep feed
	В	maintenance feed
	С	lactation ration
	D	finishing ration
109.	The	breed of swine can be traced to the early 1700's?
	Α	Poland China
	В	Duroc
	С	Hampshire
	D	Berkshire
110.	A sir	ngle stomach animal can synthesize of the 22 required amino acids.
	Α	2
	В	0
	С	22
	D	12
111.	Wha	t is the most important nutrient in a swine ration?
	Α	soybean meal
	В	corn
	С	water
	D	roughage
112.	The f	first of the Continental breeds to be imported in the United States:
	Α	Simmental
	В	Salers
	С	Charolais
	D	Limousin

A USA B Germany C China D Denmark 115. Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of	113.	The removal of all or part of the tail from sheep is referred to as:			
C dehorning D docking 114. Which of the following countries has the greatest number of hogs? A USA B Germany C China D Denmark 115. Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days Uwhen using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		Α	notching		
114. Which of the following countries has the greatest number of hogs? A USA B Germany C China D Denmark 115. Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		В	castration		
Mich of the following countries has the greatest number of hogs? A USA B Germany C China D Denmark 115. Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days Uthen using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		С	dehorning		
A USA B Germany C China D Denmark 115. Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of		D	docking		
B Germany C China D Denmark 115. Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days U when using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent	114.	Whi	ich of the following countries has the greatest number of hogs?		
C China D Denmark Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days Uhen using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		Α	USA		
D Denmark Calves younger than 3 months of age sold for slaughter are: A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		В	Germany		
A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of		С	China		
A kids B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack ofin the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days Uhen using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		D	Denmark		
B cabritos C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent	115.	Cal	ves younger than 3 months of age sold for slaughter are:		
C baby beef D veal 116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days Uhen using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		Α	kids		
D veal An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of		В	cabritos		
116. An impairment that affects the performance of the vital life functions. A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		С	baby beef		
A disease B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack ofin the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		D			
B protozoa C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack ofin the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent	116.	An i	impairment that affects the performance of the vital life functions.		
C parasite D metabolism 117. Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack ofin the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		Α	disease		
D metabolism Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack of in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		В	protozoa		
Milk fever is a nutritional disease affecting both sheep and goats during lactation due to a lack ofin the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days I 20. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		С	parasite		
in the blood. A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		D	metabolism		
A iron B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent	117.				
B selenium C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		Α			
C iodine D calcium 118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent					
118. The breed of sheep noted for producing a 200 to 250 percent lamb crop: A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent					
A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent					
A Delaine Merino B Southdown C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent	118.	The breed of sheep noted for producing a 200 to 250 percent lamb crop:			
C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		Α	Delaine Merino		
C Leicester D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		В			
D Finnsheep 119. When evaluating swine performance data, litter weights are adjusted to a standard of how many days? A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent					
A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent					
A 21 days B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent	119.	Who	en evaluating swine performance data, litter weights are adjusted to a standard of how many days?		
B 15 days C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent					
C 28 days D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent		В	·		
D 12 days 120. When using ultrasound to evaluate breeding swine, the two measurements taken are backfat thickness and: A marbling B loin-eye area C lean percent			·		
and:A marblingB loin-eye areaC lean percent					
B loin-eye area C lean percent	120.				
B loin-eye area C lean percent					
C lean percent			•		
·			·		
			internal fat		

121.	Breeds of cattle that are used for both milk and meat production are considered to be:		
	Α	terminal breeds	
	В	continental breeds	
	С	dual-purpose breeds	
	D	maternal breeds	
122.	The	majority of medium wool breeds of sheep originated in:	
	Α	Scotland	
	В	Australia	
	С	England	
	D	United States	
123.	The	average feed conversion ratio for beef cattle on full feed is:	
	Α	3:1-4:1	
	В	6:1-7:1	
	С	2:1-3:1	
	D	10:1-12:1	
124.	Bab	y pigs require temperatures of degrees F.	
	Α	50-60	
	В	70-80	
	С	60-70	
	D	80-90	
125.	Whi	ch trait in sheep has the lowest heritability estimate?	
	Α	feed efficiency	
	В	rib eye area	
	С	mature weight	
	D	yearling weight	
126.	Whi	ch of the following is water-soluble vitamin?	
	Α	potassium	
	В	pantothenic acid	
	С	vitamin A	
	D	selenium	
127.	Catt	tle infected with this disease often abort during the last half of pregnancy.	
	Α	Brucellosis	
	В	Enteritis	
	С	Actinobacillosis	
	D	Paratuberculosis	
128.	Whi	ch of the following traits is considered undesirable when judging market lambs?	
	Α	harder handling	
	В	early maturing	
	С	greater size	
	D	heavier muscled	

129.	 Lamb prices vary throughout the year and reach a high during which time? A December to Feburary B September to November C March to May D June to August
130.	The record of the ancestors of a particular animal is recorded in its: A genetic map B performance record C phenotype D pedigree
131.	Goat meat is marketed under the name: A Veal B Venison C Chevon D Mutton
132.	Which breed of goat produces mohair? A Angora B Boer C Toggenburg D Nubian
133.	Lambs are commonly weaned at about months of age. A four B two C three D six
134.	What is an animal resulting from the mating of two different breeds? A crossbred B feral C inbred D purebred
135.	The gestation time for cattle is: A 148 days B 350 days C 283 days D 114 days
136.	Which breed of sheep was developed at North Carolina State University? A Southdown B Hampshire C Polled Dorset D Suffolk

137.	Fee	dstuffs such as hay and silage are classified as:		
	Α	proteins		
	В	minerals		
	С	roughages		
	D	concentrates		
138.	The	total protein contained in a feed is protein.		
	Α	non-digestible		
	В	crude		
	С	plant		
	D	digestible		
139.		ne the breed of cattle which the United States Congress appropriated money in 1927 because they e almost extinct.		
	Α	Texas Longhorn		
	В	Beefmaster		
	С	Hereford		
	D	Angus		
140.	A medication sprayed directly into the animal's nostrils is called a injection.			
	Α	subcutaneous		
	В	intravenous		
	С	intranasal		
	D	intramuscular		
141.	Two	o factors that have a major influence on profitability in swine production are:		
	Α	Number of pigs weaned per sow; feed efficiency		
	В	Breed; feed efficiency		
	С	Breed; adaptability to environment		
	D	Number of pigs weaned per sow; adaptability to environment		
142.	Whi	ich livestock product has the highest consumption rate in the United States?		
	Α	Lamb		
	В	Beef		
	С	Pork		
	D	Goat		
143.	Whi	ich animals cannot synthesize all of the required amino acids?		
	Α	cattle		
	В	herbivores		
	С	sheep		
	D	swine		
144.	The	most important wholesale cut of lamb is:		
	Α	rib		
	В	leg		
	С	foreshank		
	D	shoulder		

145.	Whi	ich trait in beef cattle has the highest heritability estimate?	
	Α	Yearling weight	
	В	Rib eye area	
	С	Weaning weight	
	D	Carcass weight	
146.		dications used to produce immunity in livestock that are derived from plasma and fibrinogen removed n blood are:	
	Α	serums	
	В	bacterins	
	С	antibiotics	
	D	vaccines	
147.	Swi	ne are typically identified for registration by the use of:	
	Α	Ear Tags	
	В	Freeze Brand	
	С	Ear Notches	
	D	Tattoos	
148.		proximately what percent of the market hogs sold in the United States are priced on the basis of cass merit?	
	Α	70%	
	В	90%	
	С	50%	
	D	30%	
149.	Which breed of cattle descended from Spanish Andalusian cattle brought over by Columbus on his second voyage?		
	Α	Santa Gertrudis	
	В	Texas Longhorn	
	С	Hereford	
	D	Scotch Highland	
150.	Whi	ich state has greatest beef production?	
	Α	lowa	
	В	Oklahoma	
	С	California	
	D	Nebraska	
151.	Mod	dern domestic cattle evolved from what single early ancestor?	
	Α	Aurochs	
	В	Bos indicus	
	С	Buffalo	
	D	Bos taurus	
152.	The	average dressing percentage of a steer grading choice is:	
	Α	0.51	
	В	0.62	
	С	0.7	
	D	0.43	

153.	Wha	at area of livestock production is the major issue of animal rights organizations?		
	Α	confinement		
	В	reproduction		
	С	health		
	D	nutrition		
154.	Whi	ich of the following is NOT required on a feed tag?		
	Α	price per CWT		
	В	guaranteed analysis		
	С	active drug ingredient		
	D	ingredients		
155.	The	largest compartment of the ruminant stomach for a mature grazing cow is called the:		
	Α	reticulum		
	В	omasum		
	С	abomasums		
	D	rumen		
156.	In s	wine, a male that has been castrated before reaching sexual maturity is called a:		
	Α	wether		
	В	stag		
	С	boar		
	D	barrow		
157.	Which state produces the most hogs?			
	Α	Iowa		
	В	Illinois		
	С	Texas		
	D	Oklahoma		
158.	Whi	ich breed of swine is considered the oldest?		
	Α	Yorkshire		
	В	Chester White		
	С	Hampshire		
	D	Berkshire		
159.		minths are of major economic importance to the livestock industry in regard to the management of:		
	Α	disease		
	В	external parasites		
	С	internal parasites		
	D	viruses		
160.		at is a free-roaming "wild" animal that was once domesticated called?		
	A	feral		
	В	stag		
	С	boar		
	D	buck		

161.	A m	naintenance ration for beef cattle is primarily:
	Α	Concentrates
	В	Carbohydrates
	С	Proteins
	D	Roughages
162.	The	Pietrain breed of swine originated in
	Α	Germany
	В	Denmark
	С	Belgium
	D	China
163.	Bee	ef cattle or sheep born without horns are commonly referred to as:
	Α	polled
	В	hornless
	С	scurred
	D	bald
164.	Teta	anus is a disease.
	Α	nutritional
	В	bacterial
	С	viral
	D	fungal
165.	Wha	at breed of sheep that has a distinctive white face originated in Scotland?
	Α	Drysdale
	В	Corriedale
	С	Cheviot
	D	Suffolk
166.	Cho	olera is a disease.
	Α	fungal
	В	bacterial
	С	viral
	D	nutritional
167.		essential or non-essential element or compound in a food or feed is a(n):
	Α	organic
	В	nutrient
	С	mineral
	D	protein
168.		process of taking food nutrients through the intestinal wall is:
	Α	regurgitation
	В	mastication
	С	absorption
	D	assimilation

169.	Mor	phological defects in livestock are caused by:
	Α	pathogens
	В	accidents
	С	bacteria
	D	viruses
170.	The	most prevalent breed of sheep in the world is the:
	Α	Suffolk
	В	Hampshire
	С	Merino
	D	Columbia
171.	Whi	ich country accounts for the highest percent of the world cattle population?
	Α	India
	В	USA
	С	Russia
	D	Australia
172.	Wha	at trait of a hog refers to its ability to raise large litters of pigs?
	Α	terminal quality
	В	maternal quality
	С	conversion ratio
	D	yield
173.	A s	ystem that is used for trading contracts for future delivery of cattle is known as:
	Α	auction market
	В	futures market
	С	order buying
	D	internet auction
174.	Whi	ich species of livestock is most efficient into converting feed into energy and protein?
	Α	cattle
	В	sheep
	С	goats
	D	swine
175.	The	ability to initiate, sustain, and support reproduction.
	Α	gestation
	В	lactation
	С	fertility
	D	inbreeding
176.	Whi	ich of the following minerals is categorized as a macro mineral?
	Α	Zinc
	В	lodine
	С	Manganese
	D	Calcium

177.	The most important factor when formulating a ration for livestock is:			
	Α	size of the animal		
	В	total digestive nutrients		
	С	feed cost		
	D	availability of feed		
178.	Fee	d additives used to control worms and other internal parasites are:		
	Α	Anthelmintics		
	В	Probiotics		
	С	Coccidiostats		
	D	Antimicrobials		
179.	Whi	ch Medium Wool breed of sheep has a white face?		
	Α	Shropshire		
	В	Suffolk		
	С	Dorset		
	D	Hampshire		
180.	Cattle are in a class of animals which consume only plant products known as:			
	Α	carnivores		
	В	omnivores		
	С	non-ruminants		
	D	herbivores		
181.	Which of the following breeds of cattle did not originate in Italy?			
	Α	Chianina		
	В	Maine Anjou		
	С	Piedmontese		
	D	Romagnola		
182.	The	genetic makeup of an animal is called its:		
	Α	phenotype		
	В	dominance		
	С	genotype		
	D	recessiveness		
183.	Whi	ch common breed of swine was imported to the United States from Denmark?		
	Α	Hereford		
	В	Landrace		
	С	Yorkshire		
	D	Duroc		
184.	The normal body temperature of sheep and swine is:			
	Α	Below 97 o F		
	В	100 o F		
	С	Above 102 o F		
	D	98.6 oF		

185.	Pinkeye is a disease in cattle that is carried by			
	A worms			
	B insects			
	C mites			
	D rodents			
186.	The natural waviness of wool fiber is called:			
	A Crimp			
	B Kemp			
	C Staple length			
	D Braid			
187.	The age of the beef animal and the amount of marbling in the carcass affect the			
	A yield grade			
	B quality grade			
	C dressing percentage			
	D hot carcass weight			
188.	Organic compounds, which are the building blocks in the formation of proteins, are:			
	A glycogens			
	B chromosomes			
	C fat-soluble vitamins			
	D amino acids			
189.	The expected yield of a hog with an USDA quality grade of No. 2 is:			
	A 57.4 to 60.3%			
	B 54.5 to 57.3%			
	C 49.9 to 52.2%			
	D 52.3 to 54.4%			
190.	Which production trait in swine is not increased when crossing with a purebred sow?			
	A Feed/gain ratio			
	B Days to 250 pounds			
	C Conception rate			
	D Litter size weaned			
191.	The use of liquid nitrogen for storage of semen and embryos.			
	A cryopreservation			
	B hydroponics			
	C cloning			
	D genetic manipulation			
192.	Cattle that are generally between six months and one year old and are sold to people			
	A veal calves			
	B packer cattle			
	C feeder cattle			
	D slaughter cattle			

193.	A co	ondition caused by a lack of sugar in the diet:
	Α	Parakeratosis
	В	SMEDI
	С	Pseudorabies
	D	Hypoglycemia
194.	Ami	ino acids are the building blocks of:
	Α	sugars
	В	vitamins
	С	fats
	D	protein
195.	Ran	nge production accounts for percent of the total sheep production in the United States.
	Α	50
	В	70
	С	30
	D	10
196.	Vita	mins that are not stored in the body and need to be consumed everyday are:
	Α	Vitamins A,D,E, & K
	В	fat-soluble vitamins
	С	Selenium & Manganese
	D	water soluble vitamins
197.	The	use of living organisms or their products (livestock production) is also known as:
	Α	animal rights
	В	animal welfare
	С	genetic engineering
	D	biotechnology
198.	Pigs	s must be ear notched for, which is necessary for good record keeping.
	Α	identification
	В	grouping
	С	sexing
	D	vaccination
199.	The	most popular breed of registered medium wool sheep in the United States is the:
	Α	Hampshire
	В	Southdown
	С	Rambouillet
	D	Shropshire
200.	The	average length of gestation for goats is:
	Α	114 days
	В	150 days
	С	283 days
	D	336 days

201.	Join	ts in the skeleton of animals that allow free movement and have a fluid-filled cavity are called:
	Α	fibrous joints
	В	diarthroses joints
	С	amphiarthroses joints
	D	cartilaginous joints
202.	Whe	eat bran and animal fat are feed concentrates that are classified as:
	Α	grains
	В	animal proteins
	С	processing by-products
	D	plant proteins
203.		stritional problem in cattle characterized by swelling of the tissue that attaches the hoof to the foot lameness of the animal.
	Α	colic
	В	founder
	С	anemia
	D	bloat
204.	Whe	n animals band together in a herd or flock, the behavior is known as:
	Α	investigative
	В	allelomimetic
	С	agonistic
	D	gregarious
		9.09
205.	Whice Africe	ch is the fast growing, meat-type goat with a brown head and white body and originally from South
205.		ch is the fast growing, meat-type goat with a brown head and white body and originally from South
205.	Afric	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca?
205.	Afric A	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer
205.	Afric A B	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora
205. 206.	Afric A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen
	Afric A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian
	Africa A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress?
	Africa A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05
	Africa A B C D Duri A B	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1
	Africa A B C D Duri A B C	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01
206.	Africa A B C D Duri A B C	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03
206.	Africa A B C D Duri A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03 ch hormone is responsible for the masculine appearance in animals? Testosterone
206.	Africa A B C D Duri A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03 ch hormone is responsible for the masculine appearance in animals?
206.	Africa A B C D Duri A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03 ch hormone is responsible for the masculine appearance in animals? Testosterone Progesterone
206.	Africa A B C D Duri A B C D Whice A B C	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03 ch hormone is responsible for the masculine appearance in animals? Testosterone Progesterone Masterone
206. 207.	Africa A B C D Duri A B C D Whice A B C	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03 ch hormone is responsible for the masculine appearance in animals? Testosterone Progesterone Masterone Estrogen
206. 207.	Africa A B C D Duri A B C D Whice A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03 ch hormone is responsible for the masculine appearance in animals? Testosterone Progesterone Masterone Estrogen ep and cattle both have multiple-compartment stomachs referred to as a(n):
206. 207.	Africa A B C D Duri A B C D Whice A B C D	ch is the fast growing, meat-type goat with a brown head and white body and originally from South ca? Boer Angora Saanen Nubian ng cold weather, cattle feed should be increased by what percent for each degree of cold stress? 0.05 0.1 0.01 0.03 ch hormone is responsible for the masculine appearance in animals? Testosterone Progesterone Masterone Estrogen ep and cattle both have multiple-compartment stomachs referred to as a(n): ruminant

209.	Whi	ch of the following wholesale cuts of beef has the highest value?
	Α	brisket
	В	chuck
	С	shank
	D	rib
210.		et swine purebred associations require several items of information for the registration of individual s. Which information is NOT required?
	Α	Number of pigs farrowed
	В	Ear notches
	С	Weaning Weight
	D	Date farrowed
211.	Ang	us and Hereford cattle originated from the species:
	Α	Bos taurus
	В	Bos indicus
	С	Bull durham
	D	Tarentaise
212.	Whi	ch cattle problem is associated with nutritional health?
	Α	Pinkeye
	В	Bloat
	С	Ringworm
	D	Warts
213.		is a disease that affects the tissue of the foot in sheep.
	Α	Impaction
	В	Scrapie
	С	Foot Rot
	D	Tetanus
214.	The	weight of a hot beef carcass compared to the live weight of the animal is referred to as:
	Α	quality
	В	yield
	С	balance
	D	carcass merit
215.	Whi	ch agency regulates the use of feed additives in the United States?
	Α	Food and Drug Administration (FDA)
	В	Animal Health and Production Divison (AHPD)
	С	United States Department of Agriculture(USDA)
	D	Federal Register (FR)
216.	The	average age of puberty in sheep is:
	Α	6 months
	В	18 months
	С	12 months
	D	3 months

217.	Feed	ed efficiency can be increased by	grain because less is wasted.
	Α	powdering	-
	В	wetting	
	С	pelleting	
	D	grinding	
218.		are growths on the skin of cattle cau	sed by a virus.
	Α	Trichomoniasis	
	В	Ringworms	
	С	Edemas	
	D	Warts	
219.	Whic	ich breed of white colored swine originated ir	Pennsylvania?
	Α	Large Whites	
	В	Chester White	
	С	Yorkshire	
	D	American Landrace	
220.	The	e amount of fat cover on a market steer is refe	rred to as:
	Α	carcass merit	
	В	marbling	
	С	finish	
	D	fleshing	
221.	Beef	ef cattle categorized as American breeds have	what breed as a genetic base?
	Α	Hereford	
	В	Shorthorn	
	С	Angus	
	D	Brahman	
222.	bein	ng changed itself and without becoming a par	causes changes in other substances in the body withou t of the product is a(n):
	Α	lipid	
	В	enzyme	
	С	vitamin	
	D	steroid	
223.			oper intramuscular injection site for cattle is the:
	A	Neck	
	В	Hind quarter	
	C	Shoulder	
	D	Rump	
224.		at breed of hair sheep originated in Texas?	
	A	Rambouillet	
	В	Rabo Largo	
	C	Barbado	
	D	Suffolk	

225.	Whi	ch breed of medium wool sheep has the characteristics of white ears, face, nose, and legs?
	Α	Hampshire
	В	Southdown
	С	Shropshire
	D	Dorset
226.	Whi	ch of the following countries produces the most sheep?
	Α	England
	В	USA
	С	Australia
	D	Scotland
227.	The	secretion and production of milk in sheep, cattle and swine is known as:
	Α	anestrous
	В	lactation
	С	fertilization
	D	ovulation
228.	The	degree to which the crossbred offspring out performs its purebred parents is:
	Α	high performance
	В	phenotype
	С	ratio condition
	D	hybrid vigor
229.	Wha	at month of the year is the price of slaughter hogs the highest on average?
	Α	October
	В	March
	С	December
	D	July
230.	Run	ninant animals can synthesize of the 22 required amino acids.
	Α	10
	В	18
	С	22
	D	0
231.	The	length of the estrous cycle for a ewe is:
	Α	72 hours
	В	21 days
	С	14 days
	D	17 days
232.	Wha	at hormone is produced primarily by the ovaries in female animals?
	Α	infundibulum
	В	testosterone
	С	estrogen
	D	globulin

233.	Rat	ions formulated to keep an animal at its current weight and size is a ration.			
	Α	gestation			
	В	weaning			
	С	finishing			
	D	maintenance			
234.		elective form of breeding in which the sire and dam are related which some refer to as a mild form of reeding is called:			
	Α	terminal			
	В	linebreeding			
	С	outcrossing			
	D	crossbreeding			
235.	The	majority of composite breeds of cattle in the United States use what breed as a foundation?			
	Α	Polled Hereford			
	В	Charolais			
	С	Brahman			
	D	Brown Swiss			
236.	Who	en evaluating sheep, the term that refers to ruggedness and stamina is:			
	Α	condition			
	В	constitution			
	С	character			
	D	balance			
237.	The critical stage of production in livestock when giving birth to their offspring is:				
	Α	palpation			
	В	parturition			
	С	gestation			
	D	pregnancy			
238.	Which of the following elements is not a component of a carbohydrate?				
	Α	Oxygen			
	В	Nitrogen			
	С	Carbon			
	D	Hydrogen			
239.	The	first milk produced by a cow after giving birth is known as:			
	Α	lactose			
	В	buttermilk			
	C	colostrum			
	D	skim milk			
240.	follo	isease that affects cattle and sheep with symptoms of lameness, followed by depression and fever, owed by swelling in the muscles of the hip, shoulder, chest. Back, and neck, with sudden death nin 3 days of the onset of the symptoms is:			
	Α	blackleg			
	В	leptospirosis			
	С	pneumonia			
	D	distemper			

241.	A nutritional problem characterized by a swollen abdomen on the left side, labored breathing, profuse salivation, groaning, lack of appetite, and stiffness.			
	Α	colic		
	В	founder		
	С	anemia		
	D	bloat		
242.		e than one-half of all the crossbred sheep in the United States carry some percentage of the icular breed.		
	Α	Rambouillet		
	В	Merino		
	С	Dorset		
	D	Columbia		
243.	Swir	ne are in a class of animals that consume both plants and meat known as:		
	Α	herbivores		
	В	carnivores		
	С	omnivores		
	D	ruminants		
244.	Mea	t provides about what percent of the animal protein consumed in the world?		
	Α	0.55		
	В	0.9		
	С	0.1		
	D	0.35		
245.	An c	objectionable inherited defect in swine known as a whorl is actually a(n) :		
	Α	hair disturbance		
	В	defective color		
	С	inverted teat		
	D	extra dewclaw		
246.		ousin, Charolais, and Maine-Anjou cattle are important breeds used in U.S. beef production that all inated from:		
	Α	England		
	В	Italy		
	С	Scotland		
	D	France		
247.	A ma	ale sheep castrated before reaching sexual maturity is called a:		
	Α	ram		
	В	mutton		
	С	wether		
	D	buck		
248.	Whi	ch of the following feeds is highest in total digestible nutrients (TDN)?		
	Α	corn		
	В	sudangrass		
	С	silage		
	D	coastal Bermuda		

249.	The	process of preparing calves for the stress of being moved into the feedlot is called:
	Α	stockering
	В	stretching
	С	finishing
	D	preconditioning
250.	In c	omparing breed performance for litter size in swine, which breed has the highest litter size ratio?
	Α	Chester White
	В	Hampshire
	С	Duroc
	D	Landrace
251.	Whi	ch breed of sheep has the strongest flocking instinct?
	Α	Leicester
	В	Rambouillet
	С	Shropshire
	D	Suffolk
252.	Whi	ch of the following medium wool breeds of sheep are solid white in color?
	Α	Southdown
	В	Dorset
	С	Oxford
	D	Shropshire
253.	The	testes produce sperm cells and the male sex hormone:
	Α	estrogen
	В	testosterone
	С	infundibulum
	D	progesterone
254.	The	estrous cycle in swine occurs:
	Α	every 21 days
	В	twice per year
	С	bi-monthly
	D	weekly
255.	The	length of gestation for swine is an average of how many days?
	Α	148 days
	В	283 days
	С	151 days
	D	114 days
256.	A m	ethod of animal identification that is a puncture in the skin of numbers or letters is known as:
	Α	tattoo
	В	freeze brand
	С	hot brand
	D	eartag

257.	Animals that through selection and breeding have come to resemble one another and pass those traits uniformly to their offspring are defined as:			
	Α	a hybrid		
	В	progeny		
	С	a breed		
	D	genetics		
258.		elerated lambing is a system that produces lamb crops in two years.		
	Α _	four		
	В	one		
	С	three		
	D	two		
259.		recommended protein percent of a grower ration for swine from weaning to 75 pounds is:		
	A	0.19		
	В	0.12		
	С	0.22		
	D	0.16		
260.		ch breed of beef cattle has been the leader on total number registered since 1970?		
	A	Hereford		
	В	Simmental		
	С	Charolais		
	D	Angus		
261.	A di	sease carried by insects that affect the eyes of cattle is:		
	Α	leptospirosis		
	В	brucellosis		
	С	anthrax		
	D	pinkeye		
262.	The	amount of ammoniacal nitrogen in a feed multiplied by 6.25 is the content of a feed.		
	Α	fiber		
	В	crude protein		
	С	fat		
	D	vitamins		
263.		ch major swine breed originated in England, with the major development of the breed occurring in tucky? Originally known as the Thin Rind.		
	Α	Chester White		
	В	Poland China		
	С	Hampshire		
	D	Duroc		
264.	The state having the highest population of sheep and lambs is:			
	Α	Wyoming		
	В	Colorado		
	С	Texas		
	D	California		

265.	The	feed component containing the most easily digested carbohydrates is the:
	Α	amino acids
	В	minerals
	С	nitrogen free extract
	D	crude fiber
266.	Dise	eases present in the animal's body at levels too low to cause visible effects are:
	Α	subclinical
	В	probiosis
	С	chemobiotics
	D	subtherapeutic
267.	Fee	d additives in swine rations that control internal parasites are:
	Α	amino acids
	В	vitamins
	С	antibiotics
	D	anthelmintics
268.	Suff	folk sheep ancestry goes back to what breed of sheep?
	Α	Merino
	В	Dorset
	С	Rambouillet
	D	Southdown
269.	Cat	tle have how many pairs of chromosomes?
	Α	60
	В	30
	С	24
	D	16
270.	Vita	mins that are stored in the body and need not be consumed everyday are:
	Α	B complex vitamins
	В	selenium & manganese
	С	fat soluble
	D	water soluble
271.	Wha	at is the average normal temperature of healthy swine in degrees Fahrenheit?
	Α	102.6
	В	98.6
	С	104.1
	D	100.4
272.	In a	swine carcass, the loin is about percent of the total carcass.
	Α	0.3
	В	0.4
	С	0.2
	D	0.1

Texas Livestock CDE Bank - 2017-2021

What feedstuff contributes most of the carbohydrates in swine rations?

	Α	oats
	В	soybean meal
	С	alfalfa meal
	D	corn
274.		most common parasites affecting beef cattle are:
	A	ticks
	В	flies
	С	roundworms
	D	liver flukes
275.	The refe	breeds of cattle with origin in Europe such as Charolais, Simmental, and Limousin are usually rred to as:
	Α	Continental breeds
	В	British breeds
	С	Commercial breeds
	D	Maternal breeds

273.